## Notes of induction loop and infra red hearing enhancement systems meeting 20 May 2009

## **Present**

Roy Jones – Camtad volunteer Mick Watts – DCC

## **Background**

The background to the meeting was discussion at the 14 May 2009 Disabled People's Diversity Forum (DPDF) about the accessibility of Council buildings to hearing impaired people.

## Issues discussed

 The ineffectiveness of the Guildhall infra red system. The need for staff training in relation to the effective use of the equipment and positioning of stage lighting.

Action: Meeting been arranged at the Guildhall on 3 June.

 Building managers should be testing induction loops weekly, loop testers would need to be purchased to do this.

**Action: Discuss with DCC Property Services** 

 New loop in Council House, Meeting Room 2 still not working properly.

**Action: Report to DCC Property Maintenance** 

• Loop in Council House Training Room appears to work satisfactorily, problem however during Powerpoint presentations. Projector soon to be replaced which might help but situation to be monitored.

**Action: Access Officer to monitor** 

• Develop DPDF meeting rules to include things like one person to speak at a time and mobile phones off.

Action: Access Officer to discuss with Consultation Support Officer

 Does a list of all Council induction loops / infra systems exist?

**Action: Access Officer to investigate** 

 Quad – Equipment effectiveness audit and possible awareness training to be considered.

Action: Access Officer to facilitate meeting between Quad and Camtad representatives

• Cinema de Lux, Westfield - Equipment effectiveness audit and possible awareness training to be considered.

Action: Access Officer to facilitate meeting between Cinema de Lux and Camtad representatives

 DCC Building Control surveyors to test newly installed loops prior to the issuing of completion certificates

Action: Access Officer to discuss with Building Consultancy Manager

 Access officer to perhaps meet Camtad volunteers and write article about his role

**Action: Camtad manager and Access Officer to discuss**